6/5 LIBRARY

Brentwood Urban District Council



INTERIM ANNUAL REPORT

OF THE

MEDICAL OFFICER OF HEALTH

FOR

1941.

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

Brentwood Urban District Council

MEMBERS OF COUNCIL

Chairman: Councillor H. J. Farrow, J.P.

Vice-Chairman: Councillor E. G. Stone.

Councillors:

Mrs. E. A. F. Banwell W. F. R. Boardman

H. E. Brownett

A. V. Cave F. Collins

H. N. Fuller (Vice-Chairman of the Health Committee)

R. Garstang R. R. Hilton

J. F. Hough, M.A.

G. A. Joslin H. J. Kirby W. E. Lane T. N. Lavender

Mrs. M. A. Masefield (Chairman of the Health Committee)

G. A. D. MoTurk T. H. Scrivener W. G. Stevens, J.P.

W. P. Tabor W. S. Venner

R. H. Willard S. A. Wilson S. J. Wingrave

PUBLIC HEALTH STAFF

MEDICAL OFFICER OF HEALTH (Part Time):

B. Fraser Beatson, M.R.C.S., L.R.C.P., D.P.H., D.T.M. & H. (late Indian Medical Service and R.A.F. Medical Service)

BACTERIOLOGIST AND ANALYST:

E. V. Suckling, M.B., B.S., D.P.H. The Counties Public Health Laboratories, 91, Queen Victoria Street, London, E.C.4.

SENIOR SANITARY INSPECTOR:

F. G. Spencer, M.R.San.I., Sanitary Inspector, Meat and Food Inspector, and Smoke Inspector, Royal Sanitary Institute.

ADDITIONAL SANITARY INSPECTOR:

E Badcock, M.R.San.I., Sanitary Inspector and Meat and Food Inspector, Royal Sanitary Institute.

CLERKS AND SHORTHAND TYPISTS:

N. F. Webber (Royal Navy).

Miss P. E. B. Wenden

Miss D. H. Fraser (resigned November, 1941).

Miss E. Totman (resigned December, 1941).

Miss D. Clarke.

BRENTWOOD URBAN DISTRICT COUNCIL

Annual Report of the Medical Officer of Health for the year 1941.

Mr. Chairman, Ladies and Gentlemen,

I beg to present an Interim Annual Report for the year 1941, drawn up in accordance with Circular 2604 of the Ministry of Health and taking the same very brief form as in the previous year. Statistics and records usually published are to be preserved carefully for future use.

I am indebted to the Senior Sanitary Inspector for assistance in compiling part of this Report.

I am,

Your obedient Servant,

B. FRASER BEATSON,

Medical Officer of Health.

SECTION B.

SANITARY CIRCUMSTANCES OF THE AREA Water Supply.

During the year 1941 24 samples of water were taken and submitted for bacteriological and for chemical analysis with the following results:—

- 15 samples were taken from public supplies, all found to be satisfactory for drinking purposes.
- 2 samples taken from shallow wells, one found to be unsatisfactory for drinking, the well was closed and a main supply laid on to the dwellings concerned.
- 7 samples taken from swimming pools. In the case of a private pool three unsatisfactory samples were obtained and the pool was closed pending repairs to the chlorination plant.

Sanitary Inspection of the Area.

,		т.	, •	D 1
		Inspe	ctions	Re-inspections
Housing		• • •		1
Housing (Overcrowding)		•••	6	1
Sanitary Defects			218	86
Infectious Diseases		• • •	75	35
Verminous and Dirty Houses			57	22
Water Supply			12	14
Drains and Sewers Inspected	or Teste	d	132	40
Cesspools	• • •		40	6
Factories (except bakehouses)	• • •		21	5
Bakehouses			18	-
Ponds, Ditches, Water Course	s		34	21
Rat Infested Premises	•••		47	13
Council Houses		• • •	29	3
Accumulations of Refuse and			29	
Swine, Fowls, etc			10	2
Tents, Vans, etc		•••	3	
Knackers Yard			128	
Common Lodging Houses			3	
Miscellaneous Visits	•••		87	-
THIS CONTROL OF THE STATE OF TH	•••	•••	0.	
Civil Defence.				
Emergency Mortuaries, eto	•••	• • •		68
Gas Contaminated Food				55
War Damage				174
Air Raid Shelters		•••		15
Decontamination etc.	•••		•••	53

Food Inspe	ction.						
Slaughterho	ouses :						
				• • •	•••	760	
Sunday		• • •	• • •	•••	• • •	26	930
	g or Morn	ing	•••	• • •	•••	144)	-
Meat Shops			• • •	•••	• • •	•••	67
Provision an			ps	•••	•••	•••	80
Dairies and		ps	•••	•••	***	•••	46
Cowsheds	M:11-	• • •	• • •	•••	•••	•••	149 64
Samples of Samples of		•••	• • •	•••	•••	•••	24
Food Salva		•••	* * *	•••	•••	•••	20
rood barva	ge	• • •	•••	•••	•••	• • •	20
		SEC	TION	C.			
			USING				
	spection						
	using defe				or Housii	ng	100
	,					••	122
	umber of	-					305
2. Numbe	r of dwe	lling-hou	ses (excl	usive of	those r	e-	
	under th						~0
be in a	ll respects	reasonal	bly fit for	human	habitatio	on	56
	y of Defe		g the Ye	ar witho	ut Servi	ce	
of For	mal Notic	es:					
Numbe	er of defe	ctive dwe	elling-hou	ises ren	dered fit	in	
	nsequence						
	uthority o						38
4 Astion	under Ste	tutore T	larmana di		Voor.		
	under Sta ceedings						
	sing Act.		ections 9,	, 10, an	u io oi t.	пс	
(1)	Number of		og houses	in resn	ect of wh	ich	
(1)	notices w						1
(9.			_			n :	
(2)	Number dered fit	of uwen	rice of fe	es which	tions.	11-	
		_			ittees ;—		W.T.1
		Owners		. 1.6. 1.		• • •	Nil
	(b) By 1	Local Au	tnority ii	i deraur	t of Owne	ers	Nil
(b) Pro	ceedings	under Pu	blic Heal	th Acts	:		
(1)	Number					of	
(-)	which no						
	be remed						1
(2)			ling-hous	es in w	high defe	rte	
(2)	were rem						
				VI 101111	110 11003	•	1
	(a) By			n defaul	 t of Owne		Nil
	(1) 1)	LOUGH AU	UIIOIILY 1	ii uclaul	t of Owne	13	TAII

SECTION D. INSPECTION AND SUPERVISION OF FOOD SUPPLIES.

Milk Sampling.

mik sampling.			
Accredited Producers.			
Number of samples taken		• • •	25
Number of samples satisfactory			22
3 samples failed the Coliform test.			
2 samples failed the Methylene Blue test.			
All samples submitted to the Methylene	Blue and	Colifo	rm
tests.			
Pasteurised Milk.			
Number of samples taken	• • •		25
Number of samples satisfactory			25
All samples submitted to Bacteriological	and Ph	osphata	ase
tests		•	
Undesignated Milk.			
Number of samples taken			14
			12
All samples submitted to the Bacteriolo			
tests.	6.00. 0	001110	
Meat and other Foods.			
			0
Slaughterhouses in use	• • •		2
Number of inspections Total number of careases inspected	•••	9	
Total number of careases hispected	•••	7,9	<u></u>
	100		

					,
	Cattle Exclud- ing Cows	Cows	Calves	Sheep and Lambs	Pigs
Numbers Inspected	1028	498	80	5322	981
All Diseases Except Tuberculosis			-		
Whole Carcases condemned	2	9	I	5	2
Carcases of which some part or organ was condemned	146	122	3	123	54
Percentage of the number inspected affected with disease other than Tuberculosis	14.39	26.30	5.00	2.40	5.70
Tuberculosis Only.					
Whole Carcases condemned	2	15	Nil	Nil	Nil
Carcases of which some part or organ was condemned	III .	244	Nil	Nil	27
Percentage of the number inspected affected with Tuberculosis	10.99	52.00	Nil	Niĺ	2.75

Surrender of Unsound Food.

Surrender of						
Number of offals surrender	_	carcases,	parts of	careases	organ	s and
onais surrender	eu :—		Cattle	Sheep	Pigs	Calves
Whole carcases	, ineludi	ng organs	23	4	1	1
Part carcases		• • •	21	7	4	2
Heads	***		102	16	22	
Tongues		•••	95	16	22	
Livers			156	82	24	
Lungs	•••		283	46	29	1
Hearts	•••		28	23	26 .	
Kidneys	• • •	•••	42	3	1	
Diaphragm		•••	33			,
Mosenteries an	d Intesti	nes	70	1	14	
Udders		•••	4		_	
Strippings			11	- 1	6	_
Spleen	•••		25		4	
Reason for Su	nnandar	with W	eidht			
11043011 101 50	ir i cira cir	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Cattle	Sheep	Pigs	Calves
(Dark			lbs.	lbs.	lbs.	lbs.
Tuberculosis		••		105	413	
Dropsy		••	_,,	125 —	_	100
	• •	••	· ·			100
Distomatosis		••	•	172		
Emaciation .		••				_
Inflammation.				78	65	2
Necrosis		•• ••			_	,—
Melanosis						
Actinomycosis					_	_ "
, ,				3	9	19
				8	18	
Decomposition	,			48	sadinaten a	
Degeneration				_		
Cysts .			2	-		
Purulent, Grov	vth .			10	alije versaal	
Strongylosis .				26		
			. —	-	249	
(' -1						
Cirrhosis .	• •	•••		470	800	121

Other Foodstuffs.

23/¥ lbs.	Decomposition
434 lbs.	Decomposition.
109 lbs.	Decomposition.
110 lbs.	Decomposition.
40 lbs.	Decomposition.
36 lbs.	Decomposition.
1119	Decomposition.
14	Fermentation.
996₫ lbs.	
	109 lbs. 110 lbs. 40 lbs. 36 lbs. 1119

Total Weight of meat and other food condemned:— 11 tons, 15 cwt., $22\frac{3}{4} \text{ lbs.}$

Knackers Yards.

Number of	Premises	•••	• • •	1
Number of	Inspections	•••		128

SECTION E.

PREVALENCE OF, AND CONTROL OVER, INFECTIOUS AND OTHER DISEASES.

There was a considerable increase in Diphtheria compared with 1941, in spite of the drive made to take the number of immunised children. This increase was felt throughout the whole Country and there can be little doubt that it would have been much higher if immunisation had not been practised on a much larger scale than formerly.

Diphtheria Immunisation.

In accordance with the directions of the Minister of Health a great effort was made during the year in all Districts to induce parents to have their children immunised against Diphtheria. In this District much had been done in previous years amongst elementary school children. During 1941 the effort was especially directed towards the pre-school child. The Immunising Agent used was Alum Precipitated Toxoid, as supplied free of cost by the Emergency Public Health Laboratory Service.

The following table of immunisation carried out by myself at the County Council Clinic (lent by kind permission of the

County Medical Officer) shows the increase in numbers over those of previous years :—

Year.	Number of	Chil	dren dealt	with	at Clinio
1936			245		
1937	•••		414		
1938			291		
1939	•••		154		
1940	•••		255		
1941			764		
			2,123		
	M.				

The total includes children found Schiek Negative, or who failed to complete their inoculations

In addition to the figure of 764 for 1941, private practitioners were asked for the first time to furnish the number of immunisations carried out by them in private practise and in Institutions to which they acted as Medical Officers. While no accurate total could be obtained the figure was well over 600. Consequently something approaching 1,400 children in round numbers were protected from Diphtheria during the year.

Measles.

A widespread epidemic of Measles which was considered likely to occur in the Country in 1940 was postponed until 1941. During the former year only 14 cases were notified in this District; in the latter no less than 1,045. The heaviest incidence was in March, closely followed by May and then April. By June the epidemic was rapidly abating and in September it abruptly ceased—no further cases being notified. On the whole the disease was of a mild nature.

A supply of Immune Globulin was kept in my Department and was issued free of cost to local Medical Practitioners as and when required, for use among contacts in families who could not themselves pay a doctor for this protective inoculation. A number of children who, through poor family circumstances or ill health from other cause, might have contracted Measles in a severe form, and with serious complications, were enabled thus to escape altogether or with only a mild attack.

Whooping Cough.

This disease which, like Measles, was made notifiable in November, 1940, in anticipation of a war time epidemic also did not make itself felt until 1941.

In Brentwood the number of notifications in 1940 was 19; in 1941 the figure rose to 425

As Air Raid Shelters in this District were very much less used during this year under review than during 1940, it cannot be said that Shelter Life was responsible for the increase in Notifiable Diseases

Enteric Fever Group.

Free inoculation against Typhoid and Paratyphoid Fevers—a very necessary war-time precaution against the possibility of contaminated water supplies—was made available to the public during 1941, but there was practically no response except from members of the Civil Defence Services and from the Police. Apart from 12 members of Crescent Road First Aid Post Staff, who were inoculated by the Medical Officer of the Post, all were inoculated by me at the County Council Clinic (again lent for the purpose by the courtesy of the County Medical Officer).

The following table shows the figures of this inoculation.

		1st dose only.	Both doses.	
Children		2	5 =	7
Adults	•••	2	134 =	= 136
			Total	143

The immunising agent used was the T.A.B.C. Vaccine of the Lister Institute supplied free of cost by the Emergency Public Health Laboratory Service.

No case of Typhoid or Paratyphoid Fever was notified in the District during the year.

ANALYSIS OF NOTIFIABLE DISEASES UNDER AGE GROUPS.

													-
Encephalitis Lethargica	Polioencephalitis	Measles	Whooping Cough	Cerebro-Spinal Fever	Erysipelas	Dysentery	Pneumonia	Puerperal Pyrexia	Diphtheria	Scarlet Fever			Diseases
Ca		:	:	::	:	:	:	:	:	:			
:	:	18	21	:	:	:	2	:	÷	÷		Under 1	
:	:	54	37		2	:	:	:	W	4		1-2	
•		82	53		:	:	:	:	ω	9		2-3	\
:		146	75	_	:	_	:	/ :	23	<u>-</u>		3-4	Age Groups.
:	:	124	74	:	:	-	:	:	22	==		4-5	ups.
:	:	505	141	:	:	:	12	:	30	24		5-10	
:	:	69	14	:	:	:	:	:	10	9		10-15 15-20 20-35 35-45	
:	:	15	2	1	p	5	:	:	6	ω		15-20	
ω	:	18	4	ω	-	18	15	22	œ	5	1	20-35	
13	:	1	2	22	:	14	6	:	2	w	1	35-45	
:	:	2	:	:	2	17	23	:	:	:		45-65	
:		-	1-2	:	2	22	ω	÷	÷			65 and Total over	
ان ا	⊢	10+5	+25	9	∞	\bar{\pi}{\pi}	30	2	107	80		Total	Totals.